

Льдогенераторы конусного льда (гурме) MXG

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: hib@nt-rt.ru || сайт: <https://hibu.nt-rt.ru/>

MXG 327

Modular Ice Machine 152 kg


					FEATURES • Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition. • Global standard footprint: strictly follows international imperial standard commonly adopted in the industry of reference. • Electronic control board with self diagnostic and malfunction alarms. • External indicator lights: keeps ice maker's operations under constant surveillance. • Front access condenser air filter, removable and washable (air cooled version only). • Clean alert: advises with a blink when it's time to clean the filter. • XSafe: natural sanitation system, integrated inside the ice maker and operating automatically 24/7 to keep equipment clean & safe.					
 MXG L Large Gourmet  MXG M Medium Gourmet					CONDENSING SYSTEM Air cooled		RECOMMENDED BIN			
							Head	Bins		kg
					REFRIGERANT GAS R290	MXG 427		SB193	129	
								SB322	168	
							BINTOPMXGSB55	SB550	252	
								UBH1100	553	
								UBH1100	812	
								SIS700	318 + 73	
						SIS1350	613 + 73 + 73			
					VOLTAGE V/HZ/PH 230\50\1					
Model	Cube	Ø	H	Weight	OPERATING REQUIREMENTS					
MXG M	Medium	30 mm	34 mm	20 g						
MXG L	Large	38 mm	41 mm	39 g						
							Minimum		Maximum	
					Air temperature		10		43	
					Water temperature		5		38	
					Water pressure		1 bar (14 psi)		35 bar (70 psi)	
					Electrical voltage		-10%		+10%	

Modular Ice Machine 152 kg

MXG 327

Modular Ice Machine 152 kg

Modular Ice Machine 152 kg



UNIT DATA

Size (W x D x H)

568 x 704 x 721 mm

Net weight

66 kg

SHIPPING DATA

Size (W x D x H)

630 x 770 x 910

Net weight

77 kg

(*) Data refer to 32°C Amb. / 21°C Water temperature conditions

			24 h ice production kg C Amb. / °C Water			Heat Rejection	Energy Consumption (*)	Water Usage (*)	instant power	circuit wires	Max. Fuse Size
Version	Voltage	Condensation	10°C/10°C kg	21°C/10°C kg	32°C/21°C kg	W	kWh/ 24h	l/h	W	No. x Ømm ²	A
MXG M 327 AS	230\50\1	A	152	149	112	2,7 K	21	13 L/ora	1.150	3 x 1,5	16
MXG L 327 AS	230\50\1	A	140	137	110	2,1 k	21	12 L/ora	1.150	3 x 1,5	16

MXG 427

XSafe

Modular Ice Machine 170 kg

Scotsman MXG 427 EcoX					FEATURES - Individual transparent solid cube: each single cube is an artwork: crystal clear and perfectly shaped, faithful to the Scotsman tradition. - Global standard footprint: strictly follows international imperial standard commonly adopted in the industry of reference. - Electronic control board with self diagnostic and malfunction alarms. - External indicator lights: keeps ice maker's operations under constant surveillance. - Front access condenser air filter, removable and washable (air cooled version only). - Clean alert: advises with a blink when it's time to clean the filter. - XSafe: natural sanitation system, integrated inside the ice maker and operating automatically 24/7 to keep equipment clean & safe.																			
MXG L Large Gourmet MXG M Medium Gourmet					CONDENSING SYSTEM Air cooled		RECOMMENDED BIN																	
							Head	Bins		kg														
					REFRIGERANT GAS R290		MXG 427	✓	SB193	129														
								✓	SB322	168														
BINTOPMXGSB55	SB550	252																						
●	UBH1100	553																						
●	UBH1100	812																						
●	SIS700	318 + 73																						
VOLTAGE V/HZ/PH 230\50\1		●	SIS1350	613 + 73 + 73																				
<table><tr><th>Model</th><th>Cube</th><th>Ø</th><th>H</th><th>Weight</th></tr><tr><td>MXG M</td><td>Medium</td><td>30 mm</td><td>34 mm</td><td>20 g</td></tr><tr><td>MXG L</td><td>Medium</td><td>38 mm</td><td>41 mm</td><td>39 g</td></tr></table>					Model	Cube	Ø	H	Weight	MXG M	Medium	30 mm	34 mm	20 g	MXG L	Medium	38 mm	41 mm	39 g	OPERATING REQUIREMENTS				
Model	Cube	Ø	H	Weight																				
MXG M	Medium	30 mm	34 mm	20 g																				
MXG L	Medium	38 mm	41 mm	39 g																				
						Minimum	Maximum																	
					Air temperature	10	43																	
					Water temperature	5	38																	
					Water pressure	1 bar (14 psi)	35 bar (70 psi)																	
					Electrical voltage	-10%	+10%																	


Modular Ice Machine 170 kg

MXG 427

XSafe

Modular Ice Machine 170 kg

Modular Ice Machine 170 kg




MXG 437

XSafe

Modular Ice Machine 195 kg

Modular Ice Machine 195 kg



UNIT DATA			SHIPPING DATA			(*) Data refer to 32°C Amb. / 21°C Water temperature conditions					
Size (W x D x H)			Size (W x D x H)								
Net weight			Weight								
773 x 705 x 721 mm			830 x 770 x 920								
73 kg			85 kg								
			24 h ice production kg C Amb. / °C Water			Heat Rejection	Energy Consumption (*)	Water Usage (*)	instant power	circuit wires	Max. Fuse Size
Version	Voltage	Condensation	10°C/10°C	21°C/10°C	32°C/21°C	W	kWh/ 24h	l/h	W	No. x Ømm2	A
			kg	kg	kg						
MXG M 437 AS	230\50\1	A	170	165	135	2,8 K	27	18 L/ora	1.400	3 x 1,5	16
MXG L 437 AS	230\50\1	A	157	160	130	2,8 k	26	14 L/ora	1.400	3 x 1,5	10

MXG 637 XSafe

Modular Ice Machine 300 kg



FEATURES

-
- commonly adopted in the industry of reference.
- Electronic control: ambient and water temperatures may change throughout the years but your ice will stay the same.
- External indicator lights: keeps ice maker's operations under constant surveillance.
- Front access condenser air filter: a do-it-yourself cleaning operation that saves time and money and makes your ice maker live longer.
- Clean alert: advises with a blink when it's time to clean the filter.
- XSafe: natural sanitation system, integrated inside the ice maker and operating automatically 24/7 to keep equipment clean & safe.



MXG M 637
Medium Gourmet 20 g
Ø 30 x H 34 mm

CONDENSING SYSTEM

Air cooled

REFRIGERANT GAS

R290

VOLTAGE V/Hz/ph

230/50/1

RECOMMENDED BINS

Head	Bins		kg
MXG 637	✓	SB393	181
	✓	SB530	243
	BINTOPMXGSB55	SB550	252
	CBT48EAMCD	SB948	406
	CBT52EAMCD	SB1025	478
	●	UBH1600	812
	●	SIS1350	613 + 73 + 73

LEGEND:

- ✓ : Perfect combination between ice maker and bin
● : Ice chute cut-out performed upon installation
CBTxxxxxxxx : need additional bin top




OPERATING REQUIREMENTS

	Minimum	Maximum
Air temperature	10	43
Water temperature	5	38
Water pressure	1 bar (14 psi)	5 bar (70 psi)
Electrical voltage	-10%	+10%

Modular Ice Machine 300 kg

MXG 637 *XSafe*

Modular Ice Machine 300 kg



UNIT OF MEASUREMENT: mm

1. 13/16" OD - OVERFLOW DRAIN
2. 3/4" GAS - WATER INLET
3. 3/4" GAS - WATER OUTLET
WATER COOLED UNIT ONLY
4. 3/4" GAS - WATER INLET
WATER COOLED UNIT ONLY
5. CORD SET
6. CLEANING AIR FILTER
7. ICE DROP AREA

UNIT DATA				SHIPPING DATA				(*) Data refer to 32°C Amb./ 21°C Water temperature conditions			
Size (W x D x H)		773 x 704 x 1128 mm		Carton (W x D x H)		830 x 770 x 1320 mm					
Net weight		116 kg		Weight		129 kg					
		24 h ice production kg °C Amb./ °C Water			Energy consumption (*)		Water usage (*)	Instant power	Compressor	Circuit wires	Max. fuse size
Version	Voltage	10°C/10°C	21°C/10°C	32°C/21°C	kWh/ 100 kg	kWh/ 24h	l/h	W	W	No. x Ømm ²	A
		kg	kg	kg							
MXGM 637 AS	230/50/1	300	275	215	22.1	47	32,1	2500	1872	3 x 2.5	16

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

По вопросам продаж и поддержки обращайтесь:

эл.почта: hib@nt-rt.ru || сайт: <https://hibu.nt-rt.ru/>